

Cold water middle class

## HD 6/15 4-MX PLUS \*AU



Cold-water high-pressure cleaner with robust 4-pole low-speed single-phase motor.

### Standard accessories:

- Trigger gun Easy Press
- Trigger gun with soft grip
- High-pressure hose 15 m
- Spray lance 1050 mm
- Triple nozzle/Power nozzle manuell
- Triple nozzle (0°/25°/40°)
- Dirt Blaster
- Integral high-pressure hose reel
- Anti-twist system (AVS)
- Pressure switch control
- Stainless steel spray lance 1050 mm
- Servo Control



Order no.: 1.524-109.0

### Technical data

Number of current phases (Ph)	1
Frequency (Hz)	50
Voltage (V)	240
Water flow rate (l/h)	230-600
Operating pressure (bar/MPa)	30-150/3-15
Max. pressure bar	180
Max. water feed temperature (°C)	up to 60
Connected load (kW)	3.4
Weight (kg)	45.3
Dimensions (L x W x H) (mm)	467x407x1010

## Details

### Description

Powerful high-pressure cleaner with 4-pole low-speed single phase motor. The cleaner comes with AVS, the patented anti-twist system for easy and safe operation, a rugged 3-piston axial pump which provides a long service life and Kärcher's automatic pressure-controlled shutdown for low energy consumption. Water flow rate and pressure can be infinitely varied by rotating the Servo Control on the trigger gun. The new Easy Press trigger gun can be held and operated with greatly reduced effort. The sturdy push handle (aluminium) on which the accessories can be accommodated provides good manoeuvrability. Innovative metering and detergent system Switch-Chem for long periods of uninterrupted operation. Equipped with two 2.5-litre bottles, the area coverage can be either doubled or two cleaning agents can be carried for a simple changeover from one to the other without having to stop work.

---

### Application

Ideal for facade or contract cleaning, building sites, agricultural and forestry operations or municipal maintenance services

---

## Optional Accessories

### Automatic, self-winding hose reels

#### ABS hose reel stainless steel

High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprung drive. Connection for HP hoses with nipple.

**Order no. 2.641-866.0**



#### ABS wall fastening stainless steel

Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose.

**Order no. 2.641-867.0**



### Becher-Schaumlanze

#### Foam lance

Short and handy foam lance with a 1-litre detergent tank directly at the lance. Due to its compact construction it is perfectly suited for foam cleaning of vehicles. Infinitely detergent dosage, swivel connection M22x1,5, adjustable jet angle.

**Order no. 6.394-668.0**



#### Tank 1L

**Order no. 6.414-954.0**



### Doppelstrahlrohr

#### Double spray lance 960 mm

Infinitely adjustable control of the working pressure directly on the handle with full water quantity. Suitable above all for agriculture (e.g. cleaning stalls).

**Order no. 6.394-665.0**



## Drum and tank cleaning

### ABS barrel cleaner

The BC 14/12 is an spray system for the efficient interior cleaning of containers and barrels##, specially oak barrels with a volume of between 225 and 600 litres. One cleaning cycle is completed within 36 seconds and every spot in the container is covered by a water jet. After cleaning is finished the BC 14/12 can easily and conveniently take up the dirty water. The transformer included with the BC 14/12 makes it possible to use it worldwide (110 - 240 V, 50 - 60 Hz). The nozzle kits included make possible use with high-pressure cleaners with a water volume of 600 to 1400 l / h. Electrical components are protected in accordance with IP 55.



**Order no. 2.641-740.0**

## Flexible spray lance

### Jet pipe flexible

Infinitely variable adjustment of the angle of the spray lance from 20° - 140°. Especially suitable for cleaning difficult-to-reach areas such as roof gutters, car roofs, undercarriages or wheel cases.

**Order no. 6.394-654.0**



## Food industry version

### High-pressure hose food DN6 15m

Food industry version, AVS connection in the trigger gun. grey NW 6/155°C/250 bar

**Order no. 6.391-654.0**



## Longlife 400

### High pressure hose DN 6, 10 m, Longlife

With patented AVS connection in the trigger gun (pivot-mounted).

**Order no. 6.391-882.0**



## HD 6/15 4-MX PLUS \*AU

### Longlife 400 with unions on both sides

#### High-pressure hose 1.5 m, DN 8, including connecting parts

with union on both sides, M22 x 1.5 with anti-kink protection. For connecting hose reels with M22 x 1.5 union.

Order no. 6.390-178.0



### Longlife food industry version

#### High-pressure hose Longlife 400, 15 m, DN 6, AVS trigger gun connection

Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding material. With patented AVS connection in the pistol (pivot mounted)

Order no. 6.391-888.0



### Nozzle union

#### Nozzle union

With protector for high-pressure and Power nozzles M 18 x 1.5

Order no. 5.401-210.0



### Rotary coupling

#### Rotating coupler

Reliably prevents high-pressure hose twisting. Connection M 22 x 1.5 m. protector

Order no. 4.401-091.0



Cold water middle class

# HD 6/15 4-MX PLUS \*AU



---

## Rotating spray lances

**Jet pipe packaged only for replacement**

Order no. 4.760-663.0



---

**Jet pipe packaged only for replacement**

Order no. 4.760-664.0



---

**Jet pipe packaged only for replacement**

Order no. 4.760-660.0



---

**Jet pipe packaged only for replacement**

Order no. 4.760-661.0



---

**Jet pipe packaged only for replacement**

Order no. 4.760-662.0



## Spacer (including nozzle union)

### Spacer (incl.nozzle union)

Guarantees constant safety clearance, e.g. for tyres and bodywork. Helps prevent damage to sensitive surfaces. Mounts directly to lance.

Order no. 5.394-294.0



## Special hoses

High-pressure hose, 1.5 m DN 8, connection to hose reel

Order no. 6.388-886.0



## Spray lance

Jet pipe packaged only for replacement

Order no. 4.760-667.0



## Suction filter

Water filter

Order no. 6.414-956.0

