

# T 12/1

The new Kärcher T 12/1 is a highly efficient and quiet vacuum cleaner which is particularly interesting for contract cleaners, hotels and restaurants, offices, shops, hospitals as well as private households. The unit has a convenient step-on switch for ease of operation and features two back wheels and two front castors for maximum manoeuvrability. All together a powerful and robust middle class dry vacuum cleaner.

## Standard accessories:

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Fleece
- Washable nylon filter (main filter)
- Switchable floor nozzle 285 mm
- Container material Plastic
- Clip system for extension hose
- Safety class II

**Order no.: 1.355-103.0**



## Technical data

Air flow rate (l/s)	61
Vacuum (mbar/kPa)	244/24.4
Container capacity (l)	12
Max. intake performance (W)	max. 1300
Standard nominal width (mm)	32
Length of cord access. (m)	12
Sound pressure level (dB(A))	61
Weight (kg)	6.6
Dimensions (L x W x H) (mm)	340x315x410

## Data8ls

### Description

Standard equipped with a high effective fleece filter bag which allows an up to 3 x higher filter bag volume in contrast to a paper filter bag. This is a benefit that pays for itself since the operating periods between filter bag changes are longer. In the T 12/1 motor performance, air flow and the 6-stage filter system (incl. microfilter as special option) have been designed in such a way that there is hardly any loss of suction power. Its low centre of gravity provides stability. The power cable can be wind up in between the cable storage or onto a pull-out cable hook as a fast storage when often changing the location, e.g. cleaning objects in hotels, ect. Special feature: the floor tool plugs into the accessory holder (on the back of the unit) and can be used as a complete accessory fixation at the machine after work. The suction hose on the unit has a simple but effective plug-in clip system. You push the hose on to the unit's intake stub, a resilient ring engages – that's all. This system ensures that the suction hose does not become detached when the unit is pulled along behind the user. The new clip system (change without tools) on the bend allows an easy extension of the suction hose of additionally 2,5 m (extra extension suction hose -6.906-237) for e.g. cleaning steps, stairways etc. With the power brush ESB 28 (additional accessory) the T 12/1 converts into a brush-type vacuum cleaner. In cases where the hygienic standards are particularly stringent, a HEPA filter which retains very fine particles (99.95% retention rate) can be fitted (instead the standard air exhaust filter) in addition to the paper filter bag.

---

### Application

The Kärcher T 12/1 is a highly efficient and quiet vacuum cleaner which is particularly interesting for contract cleaners, hotels and restaurants, offices, shops, hospitals as well as private households.

---

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter ID 32 to 35 (tube -> nozzle)

From ID 32 to 35, plastic.

Order no. 6.902-083.0



---

### All-purpose brushes

#### All-purpose brush, DN 32

Plastic, bristle element 120 x 45 mm.

Order no. 6.906-122.0



---

### Combi-nozzles (dry)

#### Combi-nozzle (dry)

Plastic, with stainless steel soleplate and rollers, switchable.

Order no. 6.906-696.0



---

#### Combi-nozzle for parquet, ID 32

Parquet nozzle, plastic with brush strips (set no. 6.905-878.0) and rollers.

Order no. 6.906-107.0



---

#### Combi-nozzle, plastic

Plastic soleplate with rollers.

Order no. 6.906-812.0



---

**Connecting sleeves**

**Connecting sleeve, ID 32/35, with female thread**

For connecting 2 suction hoses (not ESB 28).

**Order no. 6.902-077.0**



---

**Crevice nozzles**

**Crevice nozzle, ID 32**

Plastic, DN 32 for commercial dry vacuum cleaners.

**Order no. 6.903-403.0**



---

**Electric brush**

**Electric suction brush - ESB 28**

ESB 28 with suction hose with integrated electric cable & telescopic suction tube.  
(only for T 201 and T 12/1)

**Order no. 2.640-875.0**



---

**Exhaust air filter**

**Standard exhaust air filter**

Standard exhaust filter for T 12/1, T15/1-models and BV 5/1 Bp.

**Order no. 6.414-802.0**



## Extension hoses (Clip-system)

### Extension hose C 32-, C 35-Clip-system

for all C-32 and C-35 hoses

Order no. 6.906-237.0



### Extension hose C 32-, C 35-Clip-system, el.

for all C-32 and C-35 hoses, electrically conductive.

Order no. 6.906-277.0



## Fabric filter bag

### Fabric filter bag

Cotton, washable (40°C).

Order no. 6.904-316.0



## Filter T/ NT

### Motor protection filter felt

Order no. 6.414-611.0



## Fleece filter bags (3 ply)

### Fleece filter bags

tear resistant, 3-ply, dust M class

Order no. 6.904-315.0



## Fleece filter bags (3 ply)

### Fleece filter bags

Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.

Order no. 6.904-321.0



## HEPA filter for dust class H

### HEPA-filter cassette

HEPA-filter cassette, paper/ plastic (H 12).

Order no. 6.414-801.0



## Main filter baskets

### Permanent main filter basket

Nylon, washable.

Order no. 5.731-619.0



### Permanent main filter basket

Nylon, washable until 40 ° C.

Order no. 5.731-640.0



## Nozzle sets

### Nozzle set, ID 32 for T-range with clip holder

Crevice tool, upholstery tool, round brush, clip holder

Order no. 2.860-143.0



## Paper filter (2 ply)

### Paper filter bags

For dust class M, 10 pieces.

Order no. 6.904-312.0



## Paper filter bags T 12/1 , 200 pcs

Dust class M

Order no. 6.904-318.0



## Plastic bend

### Plastic bend, C-ID 32

Plastic with C-32 clip system.

Order no. 4.408-051.0



## Plastic bend

Plastic, electrically conductive, C-32 clip system, reduces electrostatic charging.

Order no. 4.408-052.0



## Comfort bend, plastic, C-DN 32

Comfort-bend, plastic with C-32 clip system, with low noise supply air regulation, German patent: DE 102005010983 and European patent pending.

Order no. 4.440-865.0



## Repair kits

### Repair kit, C 32

Repair kit suction hose (clip system).

Order no. 2.639-739.0



## Special hoses

### Suction hose, C ID 32, complete with bend

Also replacement for T 171. New p/n with new bend 4.440-774.0

Order no. 4.440-623.0



## Suction brushes

### Suction brush, ID 32

Plastic brush, pivotable.

Order no. 6.903-887.0



## Suction hoses (Clip-system)

### Suction hose (Clip-system), 2.5 m, C 32

Dry vacuum cleaner & clip C-ID 32 connection.

Order no. 4.440-890.0



---

**Suction hoses complete (Clip-system)**

**Suction hose complete (Clip-system), C ID 32, 2.5 m**

Dry vacuum cleaner & clip connection including plastic bend C ID 3.

**Order no. 4.440-774.0**



---

**Suction hose complete (Clip-system), C ID 32, 2.5 m**

Dry vacuum cleaner & clip connection including plastic bend C ID 32.

**Order no. 4.440-907.0**



---

**Suction tubes metal**

**Suction tube, DN 32, Metal**

Metal

**Order no. 6.906-618.0**



---

**Telescopic suction tube, ID 32**

Telescopic tube, metal, DN 32, 0.6 - 1 m.

**Order no. 6.903-524.0**



---

**Suction tubes stainless**

**Suction tube, ID 32, 0.5 m**

Stainless steel

**Order no. 6.902-050.0**



---

**Turbo nozzle**

**Turbo nozzle, ID 32**

Upholstery nozzle, plastic with reducer ID 35/32.

**Order no. 2.860-113.0**



---

**Turbo nozzle, ID 32**

Floor nozzle, plastic, with reducing sleeve 35/32, 270 mm.

**Order no. 2.860-114.0**

